



ELSEVIER

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

SCIENCE @ DIRECT®

**Aquaculture**

Aquaculture 218 (2003) 743–746

[www.elsevier.com/locate/aqua-online](http://www.elsevier.com/locate/aqua-online)

## Contents of *Aquaculture*, Volume 218

VOL. 218 NOS. 1–4

27 March 2003

### Diseases, Parasites and Predators

- Effects of traditional Chinese medicine on nonspecific immunity and disease resistance of large yellow croaker, *Pseudosciaena crocea* (Richardson)  
J. Jian and Z. Wu (Zhanjiang, China) ..... 1
- Bacteria recovered from diseased cultured gilthead sea bream (*Sparus aurata* L.) in southwestern Spain  
I. Zorrilla, M. Chabrilón, S. Arijo, P. Díaz-Rosales, E. Martínez-Manzanares, M.C. Balebona and M.A. Moriño (Malaga, Spain) ..... 11
- Determination of reduced sensitivity in sea lice (*Lepeophtheirus salmonis* Krøyer) against the pyrethroid deltamethrin using bioassays and probit modelling  
S. Sevatdal and T.E. Horsberg (Oslo, Norway) ..... 21
- The immune response of the giant freshwater prawn *Macrobrachium rosenbergii* and its susceptibility to *Lactococcus garvieae* in relation to the moult stage  
W. Cheng, F.-M. Juang, J.-T. Li, M.-C. Lin (P'ing-tung, Taiwan, ROC), C.-H. Liu and J.-C. Chen (Keelung, Taiwan, ROC) ..... 33
- Similarity between the histopathology of White Spot Syndrome Virus and Yellow Head Syndrome Virus and its relevance to diagnosis of YHV disease in the Americas  
C.R. Pantoja and D.V. Lightner (Tucson, AZ, USA) ..... 47
- Effect of *Schizothrix calcicola* on white shrimp *Litopenaeus vannamei* (*Penaeus vannamei*) postlarvae  
J. Pérez-Linares, M. Cadena, C. Rangel, M.-L. Unzueta-Bustamante and J.-L. Ochoa (La Paz, Mexico) ..... 55
- Confusion generated by the validation of the application of an enzyme linked immunosorbent assay and a polymerase chain reaction method for the detection of *Aeromonas salmonicida* in field samples  
P. Smith, M. Hiney, D. Gilroy (Ireland), D. Padley (UK), T. Gallagher, D. Cotter and R. Powell (Ireland) ..... 67
- A synoptic survey of musty/muddy odor metabolites and microcystin toxin occurrence and concentration in southeastern USA channel catfish (*Ictalurus punctatus* Rafinesque) production ponds  
P.V. Zimba (Stoneville, MS, USA) and C.C. Grimm (New Orleans, LA, USA) ..... 81
- Blood chemistry of healthy, nephrocalcinosis-affected and ozone-treated tilapia in a recirculation system, with application of discriminant analysis  
C.-Y. Chen, G.A. Wooster, R.G. Getchell, P.R. Bowser and M.B. Timmons (Ithaca, NY, USA) ..... 89
- Impact of a phytoplankton bloom on mortalities and feeding response of farmed Atlantic salmon, *Salmo salar*, in west Scotland  
J.W. Treasurer (Inverness-shire, UK), F. Hannah (Millport, UK) and D. Cox (Inverness, UK) ..... 103
- Investigation of some components of the greenwater system which makes it effective in the initial control of luminous bacteria  
E.A. Tendencia and M. dela Peña (Tigbauan, Philippines) ..... 115
- Effect of dietary cortisol on resistance of channel catfish to infection by *Ichthyophthirius multifiliis* and channel catfish virus disease  
K.B. Davis, B.R. Griffin (Stuttgart, AR, USA) and W.L. Gray (Little Rock, AR, USA) ..... 121

**Genetics**Inheritance of sex in two ZZ pseudofemale lines of tilapia *Oreochromis aureus*

- D. Desprez (Montpellier, France; Liège, Belgium), C. Mélard (Liège, Belgium), M.C. Hoareau, Y. Bellemène, P. Bosc (France) and J.F. Baroiller (Montpellier, Rennes, France) . . . . . 131

Establishment of a pluripotent embryonic cell line from sea perch (*Lateolabrax japonicus*) embryos

- S.-L. Chen, Z.-X. Sha and H.-Q. Ye (Qingdao, China). . . . . 141

Genetic characterization of wild and domesticated common carp (*Cyprinus carpio* L.) populations from Uzbekistan

- A. Murakaeva (Tashkent, Uzbekistan), K. Kohlmann, P. Kersten (Berlin, Germany), B. Kamilov and D. Khabibullin (Tashkent, Uzbekistan). . . . . 153

**Husbandry and Management**Effect of stocking density and gender segregation in the seahorse *Hippocampus abdominalis*

- C.M.C. Woods (Wellington, New Zealand). . . . . 167

Anesthetic efficacy of metomidate and comparison of plasma cortisol responses to tricaine methanesulfonate, quinaldine and clove oil anesthetized channel catfish *Ictalurus punctatus*

- B.C. Small (Stoneville, MS, USA) . . . . . 177

Evaluation of transportation procedures on water quality and fry performance in red porgy (*Pagrus pagrus*) fry

- M. Pavlidis (Heraklion, Greece), L. Angellotti (Heraklion, Greece; Camerino, Italy), N. Papandroulakis and P. Divanach (Heraklion, Greece) . . . . . 187

Morphometric prediction of cannibalism in larviculture of orange-spotted grouper, *Epinephelus coioides*

- J.-R. Hseu (Taipei, Tainan, Taiwan), H.-F. Chang and Y.-Y. Ting (Tainan, Taiwan) . . . . . 203

## The effects of size grading and length of nursery period on growth and population structure of freshwater prawns stocked in temperate zone ponds with added substrates

- J.H. Tidwell, S.D. Coyle, L.A. Bright, A. VanArnum and C. Weibel (Frankfort, KY, USA) . . . . . 209

Technical and economical evaluation of periphyton-based cage culture of tilapia (*Oreochromis niloticus*) in tropical freshwater cages

- S.M.H. Huchette and M.C.M. Beveridge (Stirling, UK) . . . . . 219

Evaluation of strategies for intermediate culture of *Trochus niloticus* (Gastropoda) in sea cages for restocking

- M.J. Amos (Port Vila, Vanuatu) and S.W. Purcell (North Beach, Australia). . . . . 235

Effect of exogenous tryptophan on cannibalism, survival and growth in juvenile grouper, *Epinephelus coioides*

- J.R. Hseu (Tainan, Taipei, Taiwan), F.I. Lu (Taipei, Taiwan), H.M. Su (Tungkang, Taiwan), L.S. Wang, C.L. Tsai (Koushung, Taiwan) and P.P. Hwang (Taipei, Taiwan). . . . . 251

Influence of diet shift from formulated feed to live mysids on the carbon and nitrogen stable isotope ratio ( $\delta^{13}\text{C}$  and  $\delta^{15}\text{N}$ ) in dorsal muscles of juvenile Japanese flounders, *Paralichthys olivaceus*

- O. Tominaga, N. Uno and T. Seikai (Fukui, Japan) . . . . . 265

Depuration of Okadaic acid (Diarrhetic Shellfish Toxin) in mussels, *Mytilus edulis* (Linnaeus), feeding on different quantities of nontoxic algae

- S. Svensson (Göteborg, Sweden). . . . . 277

An activity test to evaluate larval competency in spiny lobsters (*Jasus edwardsii*) from wild and captive ovigerous broodstock held under different environmental conditions

- G.G. Smith (Launceston, Australia), A.J. Ritar and G.A. Dunstan (Hobart, Australia) . . . . . 293

Identification of factors affecting the growth and survival of the settling Japanese flounder larvae, *Paralichthys olivaceus*

- S. Dou (Qingdao, PR China; Tokyo, Japan), R. Masuda, M. Tanaka (Kyoto, Japan) and K. Tsukamoto (Tokyo, Japan) . . . . . 309

## A rearing system for the culture of ornamental decapod crustacean larvae

- R. Calado, L. Narciso, S. Morais (Portugal), A.L. Rhyne and J. Lin (Melbourne, FL, USA). . . . . 329

An application of membrane inlet mass spectrometry to measure denitrification in a recirculating mariculture system	
M.J. McCarthy and W.S. Gardner (Port Aransas, TX, USA) . . . . .	341
Integrated open-water mussel ( <i>Mytilus planulatus</i> ) and Atlantic salmon ( <i>Salmo salar</i> ) culture in Tasmania, Australia	
B.W. Cheshuk, G.J. Purser (Launceston, Australia) and R. Quintana (Australia) . . . . .	357
Salinity and pH effect on the colloidal properties of suspended particles in super intensive aquaculture systems	
G. Ritvo, O. Dassa and M. Kochba (Haifa, Israel) . . . . .	379
Genetic monitoring for spawning ecology of captive yellowfin tuna ( <i>Thunnus albacares</i> ) using mitochondrial DNA variation	
Y. Niwa (Tokyo, Japan), A. Nakazawa (Japan), D. Margulies (La Jolla, CA, USA), V.P. Scholey (Panama), J.B. Wexler (La Jolla, CA, USA) and S. Chow (Shimizu, Japan) . . . . .	387
Nitrogen budget and effluent nitrogen components at an intensive shrimp farm	
C. Jackson, N. Preston, P.J. Thompson and M. Burford (Cleveland, Australia) . . . . .	397
Water quality and partial mass budget in extensive shrimp ponds in Bangladesh	
Md.A. Wahab (Mymensingh, Bangladesh), A. Bergheim (Stavanger, Norway) and B. Braaten (Oslo, Norway) . . . . .	413
Development of a duckweed-fed carp polyculture system in Bangladesh	
M.E. Azim and M.A. Wahab (Mymensingh, Bangladesh) . . . . .	425
Mariculture trials with Mediterranean sponge species The exploitation of an old natural resource with sustainable and novel methods	
P. van Treeck, M. Eisinger, J. Müller, M. Paster and H. Schuhmacher (Essen, Germany) . . . . .	439
<b>Nutrition</b>	
Effect of dietary supplementation with shrimp on skin pigmentation and lipid composition of red porgy ( <i>Pagrus pagrus</i> ) alevins	
J.R. Cejas, E. Almansa, N. Tejera, S. Jerez, A. Bolaños and A. Lorenzo (Tenerife, Spain) . . . . .	457
Effects of fermentation methods on the nutritive value of water hyacinth for Nile tilapia <i>Oreochromis niloticus</i> (L.) fingerlings	
A.-F.M. El-Sayed (Alexandria, Egypt) . . . . .	471
Growth of dentex fingerlings ( <i>Dentex dentex</i> ) fed diets containing different levels of protein and lipid	
F.J. Espinós, A. Tomás, L.M. Pérez, S. Balasch and M. Jover (Valencia, Spain) . . . . .	479
Arachidonic acid in aquaculture feeds: current status and future opportunities	
J.G. Bell and J.R. Sargent (Stirling, UK) . . . . .	491
Effects of extrusion and expelling processing, and microbial phytase supplementation on apparent digestibility coefficients of nutrients in full-fat soybeans for rainbow trout ( <i>Oncorhynchus mykiss</i> )	
Z.J. Cheng and R.W. Hardy (Hagerman, ID, USA) . . . . .	501
Rapeseed oil as an alternative to marine fish oil in diets of post-smolt Atlantic salmon ( <i>Salmo salar</i> ): changes in flesh fatty acid composition and effectiveness of subsequent fish oil "wash out"	
J.G. Bell, F. McGhee (Stirling, UK), P.J. Campbell (Grangemouth, UK) and J.R. Sargent (Stirling, UK) . . . . .	515
Apparent digestibility of selected feed ingredients for humpback grouper, <i>Cromileptes altivelis</i>	
A. Laining, Rachmansyah, T. Ahmad (Indonesia) and K. Williams (Australia) . . . . .	529
Feeding and respiratory time activities in the cupped oysters <i>Crassostrea gigas</i> , <i>Crassostrea angulata</i> and their hybrids	
J. Haure, A. Huvet, H. Palvadeau, M. Nourry, C. Penisson, J.L.Y. Martin and P. Boudry (France) . . . . .	539
Plant protein ingredients with lysine supplementation reduce dietary protein level in rainbow trout ( <i>Oncorhynchus mykiss</i> ) diets, and reduce ammonia nitrogen and soluble phosphorus excretion	
Z.J. Cheng, R.W. Hardy and J.L. Usry (Chicago, IL, USA) . . . . .	553



Impacts of longline mussel farming on oxygen and nitrogen dynamics and biological communities of coastal sediments P.B. Christensen (Silkeborg, Denmark), R.N. Glud (Helsingør, Denmark), T. Dalsgaard (Silkeborg, Denmark) and P. Gillespie (Nelson, New Zealand) . . . . .	567
<b>Physiology and Endocrinology</b>	
Sodium pentobarbitone-induced relaxation in the abalone <i>Haliotis iris</i> (Gastropoda): effects of animal size and exposure time P.D. Sharma, H.H. Nollens, J.A. Keogh and P.K. Probert (Dunedin, New Zealand) . . . . .	589
Algicidal effect of phlorotannins from the brown alga <i>Ecklonia kurome</i> on red tide microalgae K. Nagayama (Kumamoto, Fukuoka, Japan), T. Shibata, K. Fujimoto, T. Honjo and T. Nakamura (Fukuoka, Japan). . . . .	601
Effects of pH on survival, growth, molting and feeding of giant freshwater prawn <i>Macrobrachium rosenbergii</i> S.-M. Chen and J.-C. Chen (Keelung, Taiwan, ROC). . . . .	613
Effects of controlled delivery and acute injections of LHRHa on bullseye puffer fish ( <i>Sphoeroides annulatus</i> ) spawning N.J. Duncan, G.A. Rodriguez M. de O. (Mazatlán, Mexico), D. Alok and Y. Zohar (Baltimore, MD, USA). . . . .	625
Haemolymph metabolic variables and immune response in <i>Litopenaeus setiferus</i> adult males: the effect of an extreme temperature C. Pascual, A. Sánchez (Campeche, Mexico), F. Vargas-Albores (Hermosillo, Mexico), G. LeMoullac (Tahiti, Mexico) and C. Rosas (Campeche, Mexico). . . . .	637
The effects of photoperiod manipulation on the reproduction of black sea bass, <i>Centropristis striata</i> R.A. Howell, D.L. Berlinsky and T.M. Bradley (Kingston, RI, USA). . . . .	651
Gill Na <sup>+</sup> , K <sup>+</sup> -ATPase activity, plasma chloride and osmolality in juvenile turbot ( <i>Scophthalmus maximus</i> ) reared at different temperatures and salinities A.K. Imsland, S. Gunnarsson, A. Foss and S.O. Stefansson (Bergen, Norway) . . . . .	671
Measuring cortisol in the water as an indicator of stress caused by increased loading density in common carp ( <i>Cyprinus carpio</i> ) N.M. Ruane and H. Komen (The Netherlands) . . . . .	685
Dietary riboflavin requirement of juvenile sunshine bass ( <i>Morone chrysops</i> ♀ × <i>Morone saxatilis</i> ♂) D.-F. Deng and R.P. Wilson (Mississippi State, MS, USA). . . . .	695
Increased plasma 17-hydroxyprogesterone and milt production in response to gonadotropin-releasing hormone agonist in captive male starry flounder, <i>Platichthys stellatus</i> S.H. Moon, H.K. Lim, J.Y. Kwon, J.K. Lee and Y.J. Chang (Pusan, South Korea) . . . . .	703
Physiological responses of the Asian sea bass, <i>Lates calcarifer</i> to water quality deterioration during simulated live transport: acidosis, red-cell swelling, and levels of ions and ammonia in the plasma B.D. Paterson, M.A. Rimmer, G.M. Meikle and G.L. Semmens (Cairns, Australia) . . . . .	717
The effects of exogenous androgens on ovarian development and sex change in female orange-spotted protogynous grouper, <i>Epinephelus coioides</i> S.-L. Yeh (Keelung, Taiwan, ROC), C.-M. Kuo, Y.-Y. Ting (Tainan, Taiwan, ROC) and C.-F. Chang (Keelung, Taiwan, ROC) . . . . .	729
<b>Book review</b>	
O.I.E. International Aquatic Animal Health Code P. Dixon (Weymouth, UK) . . . . .	741
<b>Contents of Aquaculture, Volume 218.</b> . . . .	743